

REMARKS

Claims 1-14 are pending in the application. An Office Action was mailed on January 21, 2004. In the present Response, Applicants amend claims 3, 7, 9 and 11. No new matter is added.

OBJECTION TO CLAIMS

Claims 3, 7 and 9 are objected to in regard to various informalities. Applicants thank the Examiner for suggesting specific corrections, and amend claims 3, 7 and 9 accordingly. On this basis, Applicants respectfully request that the objection to claims 3, 7 and 9 be withdrawn.

REJECTION UNDER 35 U.S.C. § 112

Claims 11 and 12 are rejected under the second paragraph of 35 U.S.C. § 112 as being indefinite for failing to provide sufficient antecedent basis. Applicants thank the Examiner for suggesting a corrective amendment to claim 11 to provide sufficient antecedent basis, and amend claim 11 accordingly. On this basis, Applicants respectfully request that the rejection of claims 11 and 12 be withdrawn.

REJECTION UNDER 35 U.S.C. § 103

Claims 1 – 14 are rejected under 35 U.S.C. § 103(a) as being unpatentable over U.S. Patent No. 6,038,233 to Hamamoto et al. in view of U.S. Patent No. 5,251,205 to Callon et al. Applicants respectfully traverse this rejection.

In independent claims 1 and 7, Applicants respectively disclose a routing control method and apparatus for a routing control method in a mixed environment of a network of a first type and a network of a second type. The network of the first type and network of the second type are respectively defined by first and second address spaces, each having network-identifying and host-identifying portions. The network of the first type provides routing control by referencing a

subset of address bits of the network-identifying portion of the first address space, and the network of the second type provides routing control by referencing an entirety of address bits of the network-identifying portion of the second address space. The claimed method includes the steps of:

- a) assigning the network of the second type a virtual hierarchy number that corresponds to the subset of address bits of the network-identifying portion of the first address space and identifies a portion of the network of the first type at which the network of the second type is interfaced via a router,
- b) attaching the virtual hierarchy number to a packet to be relayed at the router when the packet is to be relayed between the network of the second type and the network of the first type,
- c) performing routing control by the virtual hierarchy number within the network of the first type, and
- d) removing the virtual hierarchy number from the packet to be relayed at a the router when the packet is to be relayed between the network of the first type and a network of the second type.

Hamamoto discloses a translator for coupling traffic between an IPv4 network and an IPv6 network (see, e.g., FIG. 1 of Hamamoto). Hamamoto appears to teach the IETF mapping format as illustrated in Applicants' Fig. 8. In this format, an IPv4-compatible IPv6 address is produced by placing the IPv4 address in the 32 low-order bits of an IPv6 packet, and inserting zeros in each of the 96 high-order bits of the packet. This can be contrasted with the approach disclosed by Applicants (illustrated, for example, in Applicants; FIG. 10), in which the IPv4 address is included in the 64 low-order bits reserved by the packet for the IPv6 interface ID, and a virtual hierarchy number, for example, is included in a 16-bit SLA ID field of the packet.

The Examiner acknowledges that Hamamoto fails to expressly teach assigning the IPv4 network a virtual hierarchy number corresponding to the network-identifying portion of the IPv6 network, and asserts that Callon teaches this limitation.

Callon discloses a multiple protocol routing method, including encapsulating a packet of protocol A within a data portion of a packet of protocol B in order to transfer the protocol A packet over a protocol B network (see, e.g., column 3, lines 13 – 41 of Callon). In our Response of October 7, 2003, we made the following argument with regard to Callon (identified as “Callon I”):

This approach is quite distinct from Applicants’ claimed approach. In Applicants’ claimed method, a data packet for a network of the second type is not encapsulated in a data packet for a network of the first type, but rather an address of the data packet of the second type is altered to conform to an address space of the network of the first type. In this manner, the packet for the network of the second type is assigned an address of the first type of network having a virtual hierarchy number which effectively identifies a portion of the network of the first type at which the network of the second type is interfaced via a router.

Applicants’ invention enables efficient routing of the packet from the network of the second type within the network of the first type by employing an address scheme used by the network of the first type to reduce the number of address bits required for routing. In comparison to Callon I, Applicants’ approach avoids the level of overhead that would be incurred by fully encapsulating a packet of the second type within a packet of the first type according to the approach of Callon I. Moreover, like Callon II and Gilligan, Callon I fails to suggest or disclose Applicants’ claimed virtual hierarchy number that both corresponds to the subset of address bits of the network-identifying portion of the first address space, and identifies a portion of the network of the first type at which the network of the second type is interfaced via a router.

For example, at column 3, lines 42 – 47, Callon cites as a disadvantage of encapsulation that “the gateway must be manually configured, and thus must also be manually maintained. If a change to the gateway path is desired, or if an additional gateway path is added, the gateway routers must be manually adjusted to affect the desired changes.” This implies that the encapsulant protocol contemplated by Callon is one is associated with a network of the “second

type” in which a variety full path addresses are mapped to the gateway, rather than a network of the “first type” in which a single portion of the routing address is sufficient to identify the router.


Accordingly, Applicants respectfully submit that amended independent claims 1 and 7 are not made obvious by the combination of Hamamoto and Callon. As claims 2 – 6 and 8 – 14 respectively each depend from one of allowable claims 1 and 7, Applicants further submit that claims 2 – 6 and 8 – 14 are allowable for at least this reason.

CONCLUSION

An earnest effort has been made to be fully responsive to the Examiner's objections. In view of the above amendments and remarks, it is believed that claims 1 – 14, consisting of independent claims 1 and 7, and the claims dependent therefrom, are in condition for allowance. Passage of this case to allowance is earnestly solicited. However, if for any reason the Examiner should consider this application not to be in condition for allowance, he is respectfully requested to telephone the undersigned attorney at the number listed below prior to issuing a further Action.

Any fee due with this paper may be charged on Deposit Account 50-1290.

Respectfully submitted,



Thomas J. Bean
Reg. No. 44,528

CUSTOMER NUMBER 026304

Katten Muchin Zavis Rosenman
575 Madison Avenue
New York, NY 10022-2585
(212) 940-8729
Docket No.: FUJI 19.448 (100794-00187)
TJB:pm